



- Transfer printing
- Thermosetting heatsetting
- Film/web thermobonding
- Plastification and coating with film
- Metallization and gold lamination
- Transfer of special effects (es.: snake skin)

## 1. Characteristics of printing planes:

- 1.1. Planes number: 2
- 1.2. Dimensions: 3.100 mm (122,05") x 1.600 mm (62,99")
- 1.3. Working dimensions: perimeter limit 30 mm (1,18") 50 mm (1,97"). per side

# 2. Heating and temperature control:

- 2.1. The printing plane is heated by electrical resistors.
- 2.2. The temperature of the printing plane is adjustable up to 230°C and controlled by touch-screen by n<sup>0</sup>3 independent temperature controls.

### 3. Other devices into machine:

- 3.1. Manual, semi-automatic or automatic functions
- 3.2. Motorized movement of the heated plate
- 3.3. Automatic and recordable stroke times
- 3.4. Hydraulic pressure
- 3.5. Weekly programmer for automatic switching on and off

#### 4. Technical data:

- 4.1. Installed power: 43 kw/h
- 4.2. Average electrical consumption: 28 kw/h
- 4.3. Overall dimensions: width 2.200 mm (86,61"). length 6.500 mm (255,91"). height 1.550 mm (61,02").
- 4.4. Net weight: 7.200 kg
- 4.5. Machine produced according to CE rules
- 4.6. Customs tariff: 84 51 80 30

All data and technical features are purely indicative and subjected to changes without prior notice







STANDARD & CUSTOM HEATING SOLUTIONS





Via dell'Elettronica n°5 36016 Thiene (VI) - Italy